ELSEVIER

Chemistry and Physics of Lipids
81 (1996) 257

CPL
CHEMISTRY AND
PHYSICS OF LIPIDS

Author index

Volume 81 (1996)

Anikin, M.V. **81**, 35
Arnold, R.S. **81**, 215

Chernomordik, L. **81**, 203
Chupin, V.V. **81**, 35
Cornell, R.B. **81**, 215

Disalvo, E.A. **81**, 45
Douchet, I. **81**, 1

Epand, R.M. **81**, 101

Galla, H.-J. **81**, 21, 229
Gawrisch, K. **81**, 105
Grechishnikova, I.V. **81**, 87

Holte, L.L. **81**, 105
Howarth, O.W. **81**, 81
Hwang, F. **81**, 197

Ioneda, T. **81**, 11
Ivanova, M. **81**, 1

Janes, N. **81**, 133
Johansson, L.B.-Å. **81**, 87

Kinnunen, P.K.J. **81**, 151
Klykov, V.N. **81**, 35

Lam, C.K. **81**, 55
Lie Ken Jie, M.S.F. **81**, 55
Lohner, K. **81**, 167

Mattjus, P. **81**, 69
McIntosh, T.J. **81**, 117
Molotkovsky, J.G. **81**, 87

Ono, S.S. **81**, 11
Ostapenko, O.V. **81**, 35

Scheick, C. **81**, 63
Senisterra, G.A. **81**, 45
Serebrennikova, G.A. **81**, 35
Slater, S.J. **81**, 185
Slotte, J.P. **81**, 69
Spiteller, G. **81**, 63
Stubbs, C.D. **81**, 185

Ulrich, W.-P. **81**, 21

Verger, R. **81**, 1
Viera, L.I. **81**, 45
Vlahov, G. **81**, 81

Wegener, J. **81**, 229
Weller, U. **81**, 21
Wetterich, F. **81**, 21
Winter, A. **81**, 21

Yang, F.Y. **81**, 197

Ziomek, E. **81**, 1

ELSEVIER

Chemistry and Physics of Lipids
81 (1996) 259–261

CPL
CHEMISTRY AND PHYSICS OF LIPIDS

Subject index

Volume 81 (1996)

Acetylation; Platelet-activating factor; Positional isomer; Lyso-platelet-activating factor **81**, 35

Alcohol; Nuclear magnetic resonance; Phospholipid; Hexagonal phase; Polyunsaturation; Alkane **81**, 105

Alkane; Nuclear magnetic resonance; Phospholipid; Hexagonal phase; Polyunsaturation; Alcohol **81**, 105

Aqueous THF; *p*-Benzoquinone; Oxidation; Oxo fatty esters; Palladium(II) chloride; Ultrasound; Unsaturated fatty esters; Wacker reaction **81**, 55

Bilayer; Inverted hexagonal; Membrane structure; Polymorphism; Lipids; Enthalpic curvature stress **81**, 133

Bilayer stability; Etherlipids; Hydrophobic-hydrophilic interphase; Inverse hexagonal phase; Membrane fluidity; Membrane fusion **81**, 167

Carbobenzoxy-D-Phe-L-PheGly; Propensity for hexagonal II phase formation; Mycoplasma Mg^{2+}-ATPase; Mitochondrial H^+-ATPase; Ubiquinol-cytochrome *c* reductase; Diolein; Eicosane; Cholesterol 3-sulfate **81**, 197

Carbon-13 NMR; Sterculate; Malvalate; Triacylglycerols **81**, 81

Cholesterol; Monolayers; Lipid domains; Phosphatidylcholine; Sphingomyelin; Lipid interactions; Cholesterol oxidase; Fluorescence microscopy **81**, 69

Cholesterol oxidase; Monolayers; Lipid domains; Cholesterol; Phosphatidylcholine; Sphingomyelin; Lipid interactions; Fluorescence microscopy **81**, 69

Cholesterol 3-sulfate; Propensity for hexagonal II phase formation; Mycoplasma Mg^{2+}-ATPase; Mitochondrial H^+-ATPase; Ubiquinol-cytochrome *c* reductase; Diolein; Eicosane; Carbobenzoxy-D-Phe-L-PheGly **81**, 197

Curvature; Non-bilayer lipids; Membrane fusion **81**, 203

Curvature stress; Non-lamellar forming lipids; Protein-lipid interactions; Polymorphism **81**, 185

Diolein; Propensity for hexagonal II phase formation; Mycoplasma Mg^{2+}-ATPase; Mitochondrial H^+-ATPase; Ubiquinol-cytochrome *c* reductase; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **81**, 197

Eicosane; Propensity for hexagonal II phase formation; Mycoplasma Mg^{2+}-ATPase; Mitochondrial H^+-ATPase; Ubiquinol-cytochrome *c* reductase; Diolein; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **81**, 197

Electronic energy transfer; Fluorescent bichromophoric lipid probes; Synthesis **81**, 87

Enthalpic curvature stress; Bilayer; Inverted hexagonal; Membrane structure; Polymorphism; Lipids **81**, 133

Epithelial/endothelial barrier function; Tight junctions; Non-lamellar lipid phases; Inverted hexagonal (H_{II}) phase **81**, 229

Etherlipids; Hydrophobic-hydrophilic interphase; Bilayer stability; Inverse hexagonal phase; Membrane fluidity; Membrane fusion **81**, 167

Fluorescence microscopy; Monolayers; Lipid domains; Cholesterol; Phosphatidylcholine; Sphingomyelin; Lipid interactions; Cholesterol oxidase **81**, 69

Fluorescent bichromophoric lipid probes; Synthesis; Electronic energy transfer **81**, 87

Gangliosides; Phospholipid bilayer membranes; Tetanus toxin; Pore formation; Lipid-protein interation **81**, 21

Glycerol mycolate; Mycolic acids; Mycoloyl glycerol; Mass spectrometry; Liquid chromatography **81**, 11

Hexagonal phase; Nuclear magnetic resonance; Phospholipid; Polyunsaturation; Alkane; Alcohol **81**, 105

Hydration pressure; Lamellar and hexagonal phases; Steric pressure; Hydrogen bonding; X-Ray diffraction **81**, 117

Hydrogen bonding; Lamellar and hexagonal phases; Hydration pressure; Steric pressure; X-Ray diffraction **81**, 117

Hydrophobic-hydrophilic interphase; Etherlipids; Bilayer stability; Inverse hexagonal phase; Membrane fluidity; Membrane fusion **81**, 167

Interface; Poly(dimethylsiloxane); Monolayer; Lipase **81**, 1

Inverse hexagonal phase; Etherlipids; Hydrophobic-hydrophilic interphase; Bilayer stability; Membrane fluidity; Membrane fusion **81**, 167

Inverted hexagonal; Bilayer; Membrane structure; Polymorphism; Lipids; Enthalpic curvature stress **81**, 133

Inverted hexagonal (H_{II}) phase; Epithelial/endothelial barrier function; Tight junctions; Non-lamellar lipid phases **81**, 229

Lamellar and hexagonal phases; Hydration pressure; Steric pressure; Hydrogen bonding; X-Ray diffraction **81**, 117

Linoleic acid; 1-Pentene; 1-Pentene epoxide; Lipid peroxidation; 1-Mercaptophenyl-2-pentanol; 2-Mercaptophenyl-1-pentanol **81**, 63

Lipase; Poly(dimethylsiloxane); Monolayer; Interface **81**, 1

Lipid domains; Monolayers; Cholesterol; Phosphatidylcholine; Sphingomyelin; Lipid interactions; Cholesterol oxidase; Fluorescence microscopy **81**, 69

Lipid interactions; Monolayers; Lipid domains; Cholesterol; Phosphatidylcholine; Sphingomyelin; Cholesterol oxidase; Fluorescence microscopy **81**, 69

Lipid peroxidation; 1-Pentene; 1-Pentene epoxide; 1-Mercaptophenyl-2-pentanol; 2-Mercaptophenyl-1-pentanol; Linoleic acid **81**, 63

Lipid-protein interation; Gangliosides; Phospholipid bilayer membranes; Tetanus toxin; Pore formation **81**, 21

Lipids; Bilayer; Inverted hexagonal; Membrane structure; Polymorphism; Enthalpic curvature stress **81**, 133

Liquid chromatography; Mycolic acids; Glycerol mycolate; Mycoloyl glycerol; Mass spectrometry **81**, 11

Lyso-platelet-activating factor; Platelet-activating factor; Positional isomer; Acetylation **81**, 35

Malvalate; Sterculate; Carbon-13 NMR; Triacylglycerols **81**, 81

Mass spectrometry; Mycolic acids; Glycerol mycolate; Mycoloyl glycerol; Liquid chromatography **81**, 11

Membrane fluidity; Etherlipids; Hydrophobic-hydrophilic interphase; Bilayer stability; Inverse hexagonal phase; Membrane fusion **81**, 167

Membrane fusion; Etherlipids; Hydrophobic-hydrophilic interphase; Bilayer stability; Inverse hexagonal phase; Membrane fluidity **81**, 167

Membrane fusion; Non-bilayer lipids; Curvature **81**, 203

Membrane structure; Bilayer; Inverted hexagonal; Polymorphism; Lipids; Enthalpic curvature stress **81**, 133

2-Mercaptophenyl-1-pentanol; 1-Pentene; 1-Pentene epoxide; Lipid peroxidation; 1-Mercaptophenyl-2-pentanol; Linoleic acid **81**, 63

1-Mercaptophenyl-2-pentanol; 1-Pentene; 1-Pentene epoxide; Lipid peroxidation; 2-Mercaptophenyl-1-pentanol; Linoleic acid **81**, 63

Mitochondrial H^+-ATPase; Propensity for hexagonal II phase formation; Mycoplasma Mg^{2+}-ATPase; Ubiquinol-cytochrome *c* reductase; Diolein; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **81**, 197

Monolayer; Poly(dimethylsiloxane); Interface; Lipase **81**, 1

Monolayers; Lipid domains; Cholesterol; Phosphatidylcholine; Sphingomyelin; Lipid interactions; Cholesterol oxidase; Fluorescence microscopy **81**, 69

Mycolic acids; Glycerol mycolate; Mycoloyl glycerol; Mass spectrometry; Liquid chromatography **81**, 11

Mycoloyl glycerol; Mycolic acids; Glycerol mycolate; Mass spectrometry; Liquid chromatography **81**, 11

Mycoplasma Mg^{2+}-ATPase; Propensity for hexagonal II phase formation; Mitochondrial H^+-ATPase; Ubiquinol-cytochrome *c* reductase; Diolein; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **81**, 197

Non-bilayer lipids; Membrane fusion; Curvature **81**, 203

Non-lamellar forming lipids; Protein-lipid interactions; Polymorphism; Curvature stress **81**, 185

Non-lamellar lipid phases; Epithelial/endothelial barrier function; Tight junctions; Inverted hexagonal (H_{II}) phase **81**, 229

Nuclear magnetic resonance; Phospholipid; Hexagonal phase; Polyunsaturation; Alkane; Alcohol **81**, 105

Oxidation; Aqueous THF; *p*-Benzoquinone; Oxo fatty esters; Palladium(II) chloride; Ultrasound; Unsaturated fatty esters; Wacker reaction **81**, 55

Oxo fatty esters; Aqueous THF; *p*-Benzoquinone; Oxidation; Palladium(II) chloride; Ultrasound; Unsaturated fatty esters; Wacker reaction **81**, 55

Palladium(II) chloride; Aqueous THF; *p*-Benzoquinone; Oxidation; Oxo fatty esters; Ultrasound; Unsaturated fatty esters; Wacker reaction **81**, 55

***p*-Benzoquinone**; Aqueous THF; Oxidation; Oxo fatty esters; Palladium(II) chloride; Ultrasound; Unsaturated fatty esters; Wacker reaction **81**, 55

1-Pentene epoxide; 1-Pentene; Lipid peroxidation; 1-Mercaptophenyl-2-pentanol; 2-Mercaptophenyl-1-pentanol; Linoleic acid **81**, 63

1-Pentene; 1-Pentene epoxide; Lipid peroxidation; 1-Mercaptophenyl-2-pentanol; 2-Mercaptophenyl-1-pentanol; Linoleic acid **81**, 63

Phosphatidylcholine; Monolayers; Lipid domains; Cholesterol; Sphingomyelin; Lipid interactions; Cholesterol oxidase; Fluorescence microscopy **81**, 69

Phospholipid bilayer membranes; Gangliosides; Tetanus toxin; Pore formation; Lipid-protein interation **81**, 21

Phospholipid; Nuclear magnetic resonance; Hexagonal phase; Polyunsaturation; Alkane; Alcohol **81**, 105

Platelet-activating factor; Positional isomer; Lyso-platelet-activating factor; Acetylation **81**, 35

Poly(dimethylsiloxane); Monolayer; Interface; Lipase **81**, 1

Polymorphism; Bilayer; Inverted hexagonal; Membrane structure; Lipids; Enthalpic curvature stress **81**, 133

Polymorphism; Non-lamellar forming lipids; Protein-lipid interactions; Curvature stress **81**, 185

Polyunsaturation; Nuclear magnetic resonance; Phospholipid; Hexagonal phase; Alkane; Alcohol **81**, 105

Pore formation; Gangliosides; Phospholipid bilayer membranes; Tetanus toxin; Lipid-protein interation **81**, 21

Positional isomer; Platelet-activating factor; Lyso-platelet-activating factor; Acetylation **81**, 35

Propensity for hexagonal II phase formation; Mycoplasma Mg^{2+}-ATPase; Mitochondrial H^+-ATPase; Ubiquinol-cytochrome *c* reductase; Diolein; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **81**, 197

Protein-lipid interactions; Non-lamellar forming lipids; Polymorphism; Curvature stress **81**, 185

Sphingomyelin; Monolayers; Lipid domains; Cholesterol; Phosphatidylcholine; Lipid interactions; Cholesterol oxidase; Fluorescence microscopy **81**, 69

Sterculate; Malvalate; Carbon-13 NMR; Triacylglycerols **81**, 81

Steric pressure; Lamellar and hexagonal phases; Hydration pressure; Hydrogen bonding; X-Ray diffraction **81**, 117

Synthesis; Fluorescent bichromophoric lipid probes; Electronic energy transfer **81**, 87

Tetanus toxin; Gangliosides; Phospholipid bilayer membranes; Pore formation; Lipid-protein interation **81**, 21

Tight junctions; Epithelial/endothelial barrier function; Non-lamellar lipid phases; Inverted hexagonal (H_{II}) phase **81**, 229

Triacylglycerols; Sterculate; Malvalate; Carbon-13 NMR **81**, 81

Ubiquinol-cytochrome *c* reductase; Propensity for hexagonal II phase formation; Mycoplasma Mg^{2+}-ATPase; Mitochondrial H^+-ATPase; Diolein; Eicosane; Cholesterol 3-sulfate; Carbobenzoxy-D-Phe-L-PheGly **81**, 197

Ultrasound; Aqueous THF; *p*-Benzoquinone; Oxidation; Oxo fatty esters; Palladium(II) chloride; Unsaturated fatty esters; Wacker reaction **81**, 55

Unsaturated fatty esters; Aqueous THF; *p*-Benzoquinone; Oxidation; Oxo fatty esters; Palladium(II) chloride; Ultrasound; Wacker reaction **81**, 55

Wacker reaction; Aqueous THF; *p*-Benzoquinone; Oxidation; Oxo fatty esters; Palladium(II) chloride; Ultrasound; Unsaturated fatty esters **81**, 55

X-Ray diffraction; Lamellar and hexagonal phases; Hydration pressure; Steric pressure; Hydrogen bonding **81**, 117